



Material Safety Data Sheet

from Air Purator Corp.

Advance Information

Manufactured By: Air Purator Corporation
 15 Fifth Street - Area B
 Taunton, Ma 02780
 Telephone: (508) 880-5200

SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT	Huyglas® 1701
FINISH	Proprietary
DESCRIPTION	Composite Textile Product

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL & COMMON NAME:	MAX. % BY WT.	UN#	CAS#	TLV (SOURCE)	PEL (SOURCE)
Fibrous Glass	75%	Not assigned	Not assigned	Not listed	Not listed
Respirable Fibrous Glass Dust	Not known*	Not assigned	Not assigned	5 mg/m3 (ACGIH)	5 mg/m3 (OSHA)

* AMOUNT WILL BE DEPENDENT UPON METHOD OF HANDLING

SECTION 3 - OTHER INGREDIENTS

ITEMS LISTED IN THIS SECTION ARE EITHER CHEMICALLY OR PHYSICALLY BONDED TO THE FIBROUS GLASS TEXTILE AND ARE DEEMED NON-HAZARDOUS IN THE STATE SUPPLIED.

CHEMICAL NAME:	COMMON NAME:
Polytetrafluoroethylene	Teflon
Diphenyldimethylsiloxane	Silicone Resin
Methylphenyl Polysiloxane	Silicone Resin
Dimethyl/diphenylpolysiloxane	Silicone Fluid
Other common textile chemicals	Surfactants - Wetting Agents

SECTION 4 - PHYSICAL DATA

SPECIFIC GRAVITY	Not Applicable
APPEARANCE	White to Dark Brown
PHYSICAL STATE	Solid
SOLUBILITY IN WATER	Insoluble
ODOR	No Distinctive Odor



Material Safety Data Sheet

from Air Purator Corp.

SECTION 5 - FIRE HAZARD DATA

FLASH POINT	Not Applicable
FLAMMABLE LIMITS	Not Applicable
EXTINGUISHING MEDIA	Water, Dry Powder, or Foam
SPECIAL FIRE FIGHTING PROCEDURE	Wear self-contained breathing apparatus with full face-piece and protective clothing.
UNUSUAL FIRE HAZARDS	In a sustained fire, combustible decomposition products may be released. These products include carbon dioxide, carbon monoxide, low molecular weight hydrocarbons, silicone dioxide, hydrogen flouride and Hydroflouric acid.

SECTION 6 - REACTIVITY DATA

STABILITY	Stable
CONDITIONS/MATERIAL TO AVOID	None
HAZARDOUS DECOMPOSITION PRODUCTS	None generated under normal Storage or handling conditions.

SECTION 7 - HEALTH HAZARD DATA

PRIMARY ROUTES OF EXPOSURE	Inhalation & Skin Contact
EFFECTS OF OVEREXPOSURE	Direct contact with fibrous glass or its Dust may cause mechanical irritation and transitory dermatitis. Breathing of fibers or dust may cause mechanical irritation of the mouth, nose, and throat.
EMERGENCY AND FIRST AID PROCEDURE:	Inhalation Move to fresh air area. Ingestion Not likely to occur through normal use. Eyes Flush with flowing water for 15 minutes. Skin Flush with ample cool water than wash with mild soap
CARCINOGEN	Not listed under IARC, NTR, or OSHA. Evidence from human And animal studies found by IARC to be insufficient to classify Fiberglass filament as a possible, probable, or confirmed cancer Causing material.



Material Safety Data Sheet

from Air Purator Corp.

SECTION 8 - SPECIAL PROTECTION REQUIRED

RESPIRATORY	If airborne dust or fibers exceed the TLV or if upper respiratory irritation occurs, use a respirator designed for nuisance type dusts.
VENTILATION	Normal area ventilation is sufficient in most cases to keep dust and fiber levels below the TLV.
SKIN	Gloves may be required for certain workers who have sensitive skin or contact dermatitis.
EYE	None required for normal use, but suggested as a good safety practice whenever use of the product releases fibrous glass.
OTHER	Observe good personal hygiene.

SECTION 9 - CONTAINMENT AND DISPOSAL

CONTAINMENT AND CLEAN-UP	Dust or loose fibers can be vacuumed or swept with the aid of a dust suppressant.
DISPOSAL	Dispose according to local, state, and federal laws. This Material is not regulated under RCRA hazardous waste regulations.

SECTION 10 - SPECIAL PRECAUTIONS

SHIPPING	Not regulated by DOT.
STORAGE	Store in dry area.

SECTION 11 - SPECIAL PRECAUTIONS

This product contains no known toxic chemicals subject to the Reporting Requirements of Section 313 of the Emergency Planning and Community Right To Know Act of 1986 and of 40 CFR 372.

DISCLAIMER: The information provided herein is believed to be accurate; but it is not warranted to be, whether it originated with Air Purator Corporation or not. Much of the information contained in this MSDS originates from Suppliers. This information cannot be warranted by Air Purator Corporation to be correct or appropriate for the recipients intended use.